Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18281	709/217,218,219,224,226,232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 11:33
L2	241217	s2s	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 11:33
L3	430	customiz\$ with select\$4 with image with (user or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 11:33
L4	430	L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 11:33
L5	1586	709/232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 11:33
L6	1586	L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 11:33
L7	28	((customiz\$ with select\$4 with image with (user or client)) and @ad<"20010702") and web and HTTP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 11:33
L8	28	L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 11:33
L9	12	(((customiz\$ with select\$4 with image with (user or client)) and @ad<"20010702") and web and HTTP) and jpeg	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 11:33

L10	12	L9 .	US-PGPUB;	OR	ON	2007/04/25 11:33
	16	•	USPAT; EPO; JPO; DERWENT; IBM_TDB		•	
L11	149	code with generat\$ with server with tool	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 11:33
L12	19181	709/203,219,224,217,203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 11:33
L13	12	L12 and L11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 11:33
L14	. 12	L13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 11:33
L15	18	size with program with tracked	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 11:34
L16	9	L15 and @ad<"20010924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 11:34
L17	9	L16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 11:34
S1	89	customiz\$ with select\$ with image with (user or client)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 11:09
S2 .	189	customiz\$ with select\$4 with image with (user or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/30 10:38

S3	94	(customiz\$ with select\$4 with image with (user or client)) and @ad<"20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/30 10:48
S4	21	((customiz\$ with select\$4 with image with (user or client)) and @ad<"20010702") and web and HTTP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2004/09/30 10:46
S5	8,	(((customiz\$ with select\$4 with image with (user or client)) and @ad<"20010702") and web and HTTP) and jpeg	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2004/09/30 10:46
S6	7	((((customiz\$ with select\$4 with image with (user or client)) and @ad<"20010702") and web and HTTP) and jpeg) and @ad<"20001110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 11:09
S7	0	09/552,293	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2004/09/30 10:56
S8	1	"6539354".pn. and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/04 10:09
S9	0	"6539354".pn. and cache\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2004/10/04 10:09
S10	0	"6539354".pn. and cached	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2004/10/04 10:09
S11	16	((((customiz\$ with image with (user or client))) and web and HTTP) and jpeg) and @ad<"20001110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	ON	2004/10/04 10:17
S12	7.	((((customiz\$ with select\$4 with image with (user or client)) and @ad<"20010702") and web and HTTP) and jpeg) and @ad<"20001110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/04 10:17

	· · · · · · · · · · · · · · · · · · ·	<u></u>		r		<u> </u>
S13	9	(((((customiz\$ with image with (user or client))) and web and HTTP) and jpeg) and @ad<"20001110") not (((((customiz\$ with select\$4 with image with (user or client)) and @ad<"20010702") and web and HTTP) and jpeg) and @ad<"20001110")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/04 10:54
S14	2	"6356283".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2004/10/04 10:54
S15	0	"6356283".pn. and "web server"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/04 10:54
S16	0	"6356283".pn. and (web adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/04 10:55
S17	2	"6356283".pn. and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/04 10:58
S18	1	"6356283".pn. and customiz\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/04 11:00
S19	0	"6356283".pn. and thumbnail\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/04 11:12
S20	0	709/224.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/04 11:12
S21	3316	709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 11:10

			•			
S22		709/224.ccls. and (((((customiz\$ with image with (user or client))) and web and HTTP) and jpeg) and @ad<"20001110")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/04 11:13
S23	897	709/232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/04 11:42
S24 .	76	709/232.ccls. and customiz\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/04 11:44
S25	194	345/641,760.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 11:10
S26	44	345/641,760.ccls. and customiz\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 11:10
S27	2	"6356283".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 09:55
S28	1	S27 and pars\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR :	ON	2005/04/20 10:03
S29	2	S27 and map	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 10:33
S30	0	S27 and bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 10:36
S31	0	S27 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 10:41

		`				
S32	1	S27 and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 10:41
S33	98	customiz\$ with select\$ with image with (user or client)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 11:09
S34	10	("5649186" "5682441" "5721851" "5742768" "5760783" "5793964" "5802530" "5826242" "5884014" "6121966").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/20 11:09
S35	11	("6356283").URPN.	USPAT	OR	ON	2005/04/20 13:26
S36	7	((((customiz\$ with select\$4 with image with (user or client)) and @ad<"20010702") and web and HTTP) and jpeg) and @ad<"20001110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 11:09
S37	3814	709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 11:10
S38	63	345/641,760.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 11:10
S39	5	345/641,760.ccls. and customiz\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 11:10
S40	83293 ⁻	"6356283".pn. customiz\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 11:23
S41	1	"6356283".pn. and customiz\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 11:23
S42	10	("5649186" "5682441" "5721851" "5742768" "5760783" "5793964" "5802530" "5826242" "5884014" "6121966").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/20 13:27
S43	11	("6356283").URPN.	USPAT	OR	ON	2005/04/20 13:27
S44	21	S42 or S43	USPAT ·	OR	ON	2005/04/20 13:27

			-			
S45		code with generat\$ with server with tool	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/04/21 09:49
S46		S45 and usage and (fee or charge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/04/21 09:47
S47	2	S46 and @ad<"20010924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 12:57
S48	32	code with generat\$ with web near3 tool	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/04/21 09:49
S49	. 53	(code or program) with generat\$ with web near3 tool	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 09:53
S50	29	S49 and @ad<"20010924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 09:53
S51	14	user with (code or program) with generat\$ with web near3 tool	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 09:53
S52	8	S51 and @ad<"20010924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 10:05
S53	0	"6836801".pn. and fee	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 10:50
S54	0	"6836801".pn. and charge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 09:57

 	-		T	1		 -
S55	12711	709/203,219,224,217,203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 09:58
S56	7	S55 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 10:04
S57	0	charg\$ with usage with web near3 tool	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 10:05
S58	0	fee with usage with web near3 tool	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 10:05
S59	24	usage with web near3 tool	US-PGPUB; . USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/04/21 10:05
S60	17	S59 and @ad<"20010924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 10:07
S61	0	S60 and fee	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 10:05
S62	5	S60 and charg\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/04/21 10:06
S63	359	705/52.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 10:06
S64	0	S60 and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 10:06

		•				
S65 .	258	S63 and @ad<"20010924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 10:25
S66	4	S65 and web near3 tool	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 10:10
S67	49	S65 and usage with software	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 10:10
S68	11	S65 and usage with software same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 10:12
S69	12	S65 and usage with program same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 10:13
S70	8	S69 and fee	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 10:24
S71	3255	fee near32 determin\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 10:24
S72	53	S71 and web near3 tool	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 10:25
S73	26	S72 and @ad<"20010924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 11:20
S74	22	S73 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 10:25

S75	0	"6836801".pn. and version	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ,	2005/04/21 11:00
S76	2	"6836801".pn. and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 11:04
S77	1	"6836801".pn. and size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 11:08
S78	2227911	usage with line with program\$3 code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 11:06
S79	23	usage with line with program\$3 with code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 11:06
S80	18	S79 and @ad<"20010924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 11:06
S81	1	"6836801".pn. and time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 11:10
S82	2	"6836801".pn. and track\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/04/21 11:17
S83	276	versions with (sofware\$ or program\$1) with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 11:19
S84	2.	S83 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 11:20

	24254457	401 @1 4"22242224"	110 000110	00	011	2005/04/24 44 22
S85	21264127	40and @ad<"20010924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 11:22
S86		S84 and @ad<"20010924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 11:21
S87	80	providing with versions with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 11:22
S88	0	S87 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 11:21
589	108	storing with versions with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2005/04/21 11:22
S90	8	searching with versions with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 11:34
S91	1	S89 and S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 11:23
S92	0	S91 and @ad<"20010924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 11:22
S93	2	"5151609".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 11:46
S94	2	"6151609".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 12:56

S95	296	717/106.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/04/21 12:56
S96	66	S95 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 12:56
S97	34	S96 and @ad<"20010924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:00
S98 ·	33	fee with determin\$ with (number or line) with code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:03
S99	23	S98 and @ad<"20010924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:03
S10 0	1	fee with determin\$ with size with code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:04
S10 1	2791647	"23" and @ad<"20010924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:03
S10 2	1	S100 and @ad<"20010924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:04
S10 3	2	fee with determin\$ with size with program	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:04
\$10 4	2	S103 and @ad<"20010924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:06

			•			
S10 5	4	tracking with size with code with generat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/04/21 13:07
S10 6	4	S105 and @ad<"20010924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:08
S10 7	81	track\$ with usage with size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:07
S10 8	. 55	S107 and @ad<"20010924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ,	2005/04/21 13:44
S10 9	3	"6836801".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:21
S11 0	. 2	S109 and track\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:44
S11 1	218	usage with lines with program	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:44
S11 2	-0	usage with lines with program with tracked	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:46
S11 3	6	usage with lines with program with track\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:44
S11 4	. 1	S113 and @ad<"20010924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:46

			_		•	
S11 5	0	usage with size with program with tracked	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/04/21 13:46
S11 6	8	size with program with tracked	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:53
S11 7	7	S116 and @ad<"20010924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:53
S11 8	511	size with program with recorded	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:49
S11 9	0	size with program with recorded with uasge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:49
S12 0	Ó	size with program with recorded with usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:49
S12 1	1	S118 same usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:49
S12 2	12	size with file with track\$ same usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/04/21 13:53
S12 3	11	S122 and @ad<"20010924"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:55
S12 4	2	"5257370".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/21 13:55